September 2017

Artificial Intelligence in Online Education

With an emphasis on personalization

Curtis G. Northcutt

Massachusetts Institute of Technology EECS, Office of Digital Learning

Disclaimer

Many of these slides contain ideas which are unsolved or unpublished. Interested? Please reach out :) Collaboration is encouraged!

These slides are intended for **researchers**, **practitioners**, and **course staff** who want to improve their **online courses** with **AI**.



I use the term **student**, but these concepts apply to **any learner**.



A framework within which we can organize topics in the intersection of AI & OE























Example: active \rightarrow passive

Students can ask for info about their

progress (active). Based on students who

do well, we can learn which information to

provide students that is likely to increase learning (passive).

For the rest of these slides, we'll consider 18 examples of how to improve

online learning with machine learning



human intelligence with artificial intelligence

Problem: Representation

How do we...

- represent courses as vectored-data?
- know if two courses/videos/students are similar/different?
- recommend content to students?
- match students with other students?



Solution: Representation (Embeddings)

- 1. Course-level embeddings
- 2. Content-level embeddings
- 3. Student-embeddings





Solution: Representation (How to generate embeddings)

Capture courses/content/students

- interactions as high-dimensional
- feature matrices. Reduce dimensionality

using PCA, SVD, etc or use hidden

weights of a neural network.

Solution: Representation (How to generate embeddings)

"Embedded" dense low-dim representations enable:

- 1. Generation of new courses from existing courses
- 2. Student pairing and inference
- 3. Content structuring





Curtis G. Northcutt | cgn@mit.edu

Problem: Detect struggling

Alert course teams of learners who are struggling with the material.

Solution for the tissuesGeneExpression Data package problem	

discussion posted 7 months ago by Excited2LearnSkills

Hi everyone,

I had the same importing problems as you with the "not available" notification. Luckily, I found it elsewhere and could download it from:

 $\label{eq:https://github.com/genomicsclass/tissuesGeneExpression Hope you can finally start with your exercises! :)$

Best wishes,

aima

Lisa

This post is visible to everyone.

IgorSwann 5 months ago Thank you Lisa

anti				
othe	200			

Thank you Lisa! Much more helpful than the people running this course.....it really confuses and frustrates me, how they missed the other questions here.....reflects poorly on edx



+

...



Problem: Detect struggling

Alert course teams of learners who are struggling with the material.

Solution for the tissuesGeneExpression Data package problem	
iscussion posted 7 months ago by Excited2LearnSkills	

Hi everyone,

I had the same importing problems as you with the "not available" notification. Luckily, I found it elsewhere and could download it from:

https://github.com/genomicsclass/tissuesGeneExpression Hope you can finally start with your exercises! :)

Best wishes,

Lisa

This post is visible to everyone.

aimanti 4 months ago	+
Thank you Lisa! Much more helpful than the people running this courseit really confuses and frustrates me, how they missed the other questions herereflects poorly on edx	





Problem: Detect struggling

Alert course teams of learners who are struggling with the material.



Solution: Detect struggling (Noisy labels + Rank Pruning)

Paper -> Learning with Confident Examples: Rank Pruning for Robust Classification with Noisy Labels | Northcutt, Wu, Chuang (2017)

- 1. Train classifier
 - a. student interaction features X
 - b. forum posts containing "confused" and "frustrated" as labels y







Solution: Detect struggling (Noisy labels + Rank Pruning)

Account for noisy labels using Rank Pruning (next slide).





The Rank Pruning Algorithm

Northcutt, Wu, Chuang (UAI 2017)

http://auai.org/uai2017/proceedings/papers/35.pdf

① Confident Examples



3.4 Denoise(Prune) & Refit



Curtis G. Northcutt | cgn@mit.edu

Massachusetts Institute of Technology

³ Problem: Rampant cheating

The rampant multiple-account cheating (around 10% of completers) problem poses a serious threat to the promise of democratization of education and to accredited MicroMasters programs.

Passive Student



3 Solution: Rampant cheating (CAMEO on steroids + Rank Pruning + HITT)

- Generate 100+ statistical matching features based on timing, ip address, etc. and combine five filter-based algorithms to produce noisy labels.
- Fix with Rank Pruning using a Neural Network.
- Validate and combine results with HITT labels (unpublished).

Source: <u>MIT S.M. thesis</u>, Curtis G. Northcutt (2017)

Student

Passive

⁴ Problem: Stats Collaboration

In general, we'd like to know which two accounts are most similar (cheating, working together, same person, etc.). To answer this, we can answer the question - which pairs of accounts are drawn from the same distributions?



Student

Passive

⁴ Solution: Stats Collaboration

Measure how different distributions P and Q are using Maximum Mean Discrepancy or Wasserstein Distance based on work by Aruther Gretton (Univ College London) -**Two-sample testing**

Paper (sec. 8): <u>http://www.gatsby.ucl.ac.uk/~gretton/papers/GreBorRasSchetal12.pdf</u>



⁵ Problem: How to personalize

Most machine learning models focus on class-level prediction, and do not consider that each student has their own predictive model. What are some tricks to deal with this?

Passive Student



⁵Solution: How to personalize

- Active Learning
- Domain Adaptation
- Gaussian Processes with class-level priors and student-level training
- DNN with class-level initial weights and student-level additional training
- 100s of sources. Check out Oggi Rudovic (MIT)





⁶ Problem: ITE/Counterfactuals

The standard for A/B testing is we apply a treatment/condition to students and measure class-level difference between the two conditions on some outcome of interest (grade, IRT proficiency, etc.).

We can do better than this... What we really want is the **ITE** = **independent treatment effect**, but we need the counterfactuals.



6 Solution: ITE/Counterfactuals (iterative ite estimation)



6 Solution: ITE/Counterfactuals (iterative ite estimation)

For education, we measure grade/proficiency/time as the outcome and the treatment is an A/B condition, learning condition, etc. Sources:

<u>Learning Representations for Counterfactual Inference</u>, Johansson, Shalit, Sontag (2016) <u>Estimating individual treatment effect: generalization bounds and algorithms</u>, Shalit, Johansson, Sontag (2017)

Passive Student

6 Solution: ITE/Counterfactuals (iterative ite estimation)

A version of algorithm for Online Education:

- 1. Train a classifier on treatment group A and group B separately.
- 2. Predict B outcome for group A, and vice versa.
- 3. Retrain with new info until convergence

Student

Passive

7->roblem: Trajectory prediction

Will a student dropout? Perform exceedingly well? Any outcome of your choice...





⁷Solution: Trajectory prediction

- Trajectory outcome prediction
 - <u>Reliable Decision Support using Counterfactual Models</u> Schulam and Saria (2017)
- Learning Models from Observational Traces
 - Takes into account treatments tell students they might fail (interventions)
 - Dropout prediction is trajectory based
- Counterfactual GPs for inference from traces
 - Marked point processes (MPP)
 - Gaussian Process (GP)



⁸ roblem: How to order content

Course staff orders problems, videos, and topics using their expertise, which often works

well. What would be better? Ordering content in a way to **maximize learning outcomes** (increase in proficiency, decrease in time

Passive Content

spent)



8 Solution: How to order content (mutual information)

For all pairs of problems, determine

- Prob(answer A correctly | understand B)
- Prob(answer A incorrectly | understand B)
- Prob(answer A correctly | not understand B)
- Prob(answer A incorrectly | not understand B)

From these we can derive directional mutual information: the prerequisite nature of $A \rightarrow B$



Content

Passive

8 Solution: How to order content



Curtis G. Northcutt | cgn@mit.edu

⁹ Problem: Adaptive Learning

Although embeddings, siamese networks, sentiment analysis LSTMs, and other solutions presented in this deck can be used for adaptive learning, another approach is to use a knowledge graph and proficiency model, but how? Conter

Active

Solution: Adaptive Learning (Knewton and IRT)

Knewton:

- Proficiency Model via IRT
- Knowledge Graph (propagate knowledge based on a given prerequisite graph of concepts.

Active

Conter

Problem: Google Scholar

Student's try to increase their knowledge

- using Google Scholar, but can we develop an
- intelligent platform that understands the types of scholarly articles and what we really want when we search?

10



¹⁰ Solution: Semantic Scholar (maybe)

Al2 (Allen Institute for Artificial Intelligence) and others are actively working on more intelligent information transfer.

Content Active

¹¹oblem: Majority bias in forums

Its 1600s and we are in a MOOC. The MOOC instructor asks 50k students, "What shape is the earth?" to which the majority of students respond, "It is flat", +1, thumbs up, liking each others' posts. The minority arguing for a round model.. Their answers are never seen, down-ranked far below where anyone will read.

Content Active

¹¹Jution: Majority bias in forums (diversification of comment rankings) Paper -> <u>Comment Ranking Diversification in Discussion Forums</u>, Northcutt et al. (2017)

Trial 11

Question Q

Whether you are deeply familiar with Christianity or new to the tradition, please share 1-3 things...

List	A

[1] 'Christianity was explained in just 4 minutes. Very good video.'

[2] "Interesting that so many listed as making up part of Christianity don't recognize each other as such!"

[3] "I appreciated the point about how Eastern Christianity emphasizes the Incarnation... "

[4] 'Christianity is based not on the writings of Jesus Christ, but the writings of others...'

[5] 'I have always found it interesting that Christianity has both condemned and enabled oppression.

1-		
i	List	В
1-		

[1] 'Christianity was explained in just 4 minutes. Very good video.'

[2] 'I found it interesting that some missions working in other cultures recognized the active presence of God...

[3] "Interesting that so many listed as making up part of Christianity don't recognize each other as such!"

[4] 'Christianity is based not on the writings of Jesus Christ, but the writings of others...'

[5] 'Orthodox is newer to me. I was raised in a Pentecostal church and converted... '



Curtis G. Northcutt | cgn@mit.edu

Massachusetts Institute of Technology

¹² Problem: Feature Extraction

How do we get good features from student data?





¹² Solution: Feature Extraction

- Examples (Instructor's toolkit / student weathermap/instrument panel)
 - 1. Item Response Theory graphs
 - 2. Student Pathway Fingerprint (2-D voronoi)
 - 3. Sorted Order Most Common Responses
 - 4. Student Pathway State Space Diagram
 - 5. IFACAs
 - 6. Max Correct Sliding Window Curve MEPTI
 - 7. Average Correct Sliding Window Curve
 - 8. Histogram of time-between-correct-responses
 - 9. Histogram of time-from-viewing-to-submitting
 - 10. Time maps https://districtdatalabs.silvrback.com/time-maps-visualizing-discrete-events-across-many-timescales
 - 11. Scatter plot of total time spent versus percent correct, red X for user, blue dots for everyone elseZ-scores
- Then train using known labels and find out which features are most predictive of that outcome. Use those features in the future.

Student

Passive

Problem: Cognitive State

- If students lose interest, they don't learn.
- Can we detect student affective and

cognitive states?



13



Solution: Cognitive States (AutoTutor: Affective Computing)

- Roz Picard in Media Lab.
- Uses webcam and facial tracking
 - AutoTutor Detects and Responds to Learners Affective and Cognitive States, Mello et al. (2008)
- AI part: We can use these labels to learn which content leads to boredom and which types of students tend to get bored.



13



¹⁴ Problem: Content Likeability

Non-Al solution - students can rate

content. But the **problem** is that how

they rate it **depends** on their **knowledge** and **what content they saw previously**.

Passive Content



¹⁴ Solution: Content Likeability: (Sentiment Analysis LSTM)

- Train a Sentiment Analysis LSTM Using Noisy Crowd Labels
 - <u>https://github.com/HazyResearch/snorkel/blob/master/tutorials/crow</u> <u>dsourcing/Crowdsourced_Sentiment_Analysis.ipynb</u>
- If you have user sentiment labels (active AI) \rightarrow easy.
- No labels? Use a proxy like sentiment = sum of time spent by learners who got the right answer / time by those who got it wrong.

Curtis G. Northcutt | cgn@mit.edu



Content

Passive

¹⁵Problem: Points of Confusion

In which locations do students become confused? Can we identify them and notify instructors?



¹⁵Solution: Points of Confusion



Active

¹⁶ Problem: Cognitive Modeling

We'd like to understand what the student

knows to better serve them content and optimize for learning constraints.





¹⁶Solutions: Cognitive Modeling

• ITS (Intelligent Tutoring Systems)

• Gautam Biswas, Ken Koedinger, Vincent Aleven (many papers)

Bayesian Knowledge Tracing

- Albert Corbett (Baker, Koedinger)
- More Accurate Student Modeling Through Contextual Estimation of Slip and Guess <u>Probabilities in Bayesian Knowledge Tracing</u>, Baker, Corbett, Aleven (2009)

Cognitive Tools / Agents / Tutors

Hundreds of papers and authors

Curtis G. Northcutt | cgn@mit.edu

Active

Studen

¹⁷Problem: Human Intelligence vs. Artificial Intelligence

We don't yet fundamentally understand how humans learn, but we can see when human learning matches up with artificial learning. Given a paragraph of text and student-specific features, can we predict a numerical score for how "much" the student will learn from the text? Passive Student

Curtis G. Northcutt | cgn@mit.edu



Solution: HI vs. Al

- Generate a million versions of an instructional paragraph by toggling a few words each time. Choose the paragraph that "maximizes learning."
- With better models of human learning, we can have better AI models for education.
- For other work in this context (but different scenarios)
 - Patrick Winston (MIT) Human Intelligence Enterprise
 - i. <u>http://groups.csail.mit.edu/genesis/HIE/white.html</u>



18 Pro

Problem: The next edX

How do we reach the lofty goal of democratization of education affordably, realistically, achieving both openness and value?

Course Active

¹⁸ Part of a possible solution

- Virtual Reality with four components:
- 1. ML
- 2. ASR
- 3. VR
- 4. Pedagogy

Course Active



Machine Learning Data Expressed in OE Terminology

ML Topic	Data Type	Online Education Concept
Support Vector Machines	Support vectors	Borderline student/content/course between two conditions
Active Learning	High variance examples	Student/content/course which greatly differs from other students/content/courses
Image Recognition	Hard Negatives	Student/content/course that is likely to be misclassified
Rank Pruning	Confident Examples	Student/content/course we can confidently estimate belongs to a group of interest

Other Resources

Papers

Two different ways to estimate time-dependent individual treatment effect via counterfactual prediction:

1. What-if reasoning with Counterfactual Gaussian Processes (Peter Schulam, Suchi Saria, 2017)

2. A deep-learning approach - Structured Inference Networks for Nonlinear State Space Models (Rahul G. Krishnan, Uri Shalit, David Sontag, 2017)

One way to "*embed*" content / students / courses (into low dimensional vector representations) from textual (i.e. NLP) representation as input:

1. Starspace - Embed all the things! (FAIR, 9/12/17)

Videos/Slides

1. 2 hours - Suchi Saria - Modern healthcare methods all super applicable to education

2. 350 slides - Uri Shalit and David Sontag - Counterfactual Methods for Observational Studies